Schaerer Coffee Soul with Best Foam

Touchscreen bean to cup coffee system with Best Foam system

Controlled via an 10" touchscreen and with a host of power features not found elsewhere, the Swiss-manufacturered Schaerer Coffee Soul is a one-stop automatic coffee-maker for the busiest of locations.

The Coffee Soul comes in two distinct options, both are capable of making up to 70 independent coffee drink combinations but with the Soul Hot Choc capable of making hot chocolate alongside these excellent coffee selections.

An attractive and robust powerhouse coffee machine, the Schaerer Coffee Soul could instantly transform your hot drink options. The built in Best Foam system provides very high quality milk foamin: Creamy milk foam with silky smooth, snow white surface.



Supplied by: Caffe Society Ltd.

Tornado House, Moxon Way, Sherburn In Elmet, Leeds, LS25 6FB

Tel: 0845 4500 500 Web: www.caffesociety.co.uk Email: info@caffesociety.co.uk



PRICING

Model	Package	Price (ex. VAT)	5 Yr Lease Purchase*	3 Yr Lease Purchase*
Coffee Soul with Best Foam	Machine ONLY	£11,125	£76.99	£102.49
	Machine & Ingredients Package	£11,375	£78.49	£104.99
Coffee Soul with Best Foam + Hot Choc	Machine ONLY	£11,585	£79.99	£106.99
	Machine & Ingredients Package	£11,835	£81.99	£108.99

* Lease purchase prices are quoted as weekly payments over a 5 or 3 year period and exclude VAT

Essentials Package

- Delivery & Installation
- Water filter
- Staff training
- 12 months on site Parts and Labour warranty
- 10-Litre Milk fridge
- Cleaning materials pack

Ingredients Package 4250 cups worth of premium coffee beans (5 cases / 30kg) (coffee value £8500 when sold at £2.00 /cup) 2000 sugar sticks 1 case premium hot chocolate (100 sachets) 1 chocolate sprinkle 1 case coffee biscuits 1 Twinings teas, mixed pack Point of sale material Milk cooling unit (only provided with models with milk systems) 24 cappuccino cups and saucers ** 12 espresso cups and saucers ** 24 latte glasses ** (** or 1 case of takeaway cups & lids instead of above cups, saucers and glasses)

MODEL CONFIGURATIONS

1) Coffee Soul Best Foam with Milk System

Modules: Coffee Soul, Milk System and Fridge

Description: This version comes with a milk system, including a fridge. All milk-based drinks are selected via the touchscreen and then created automatically. Settings (milk texture, temperature etc.) can be programmed, and there is an intermediate rinsing function to help keep the piping clean.

2) Coffee Soul Best Foam with Milk System with Hot Chocolate

Modules: Coffee Soul, Milk System, Fridge and Hot Chocolate module Description: This version comes with a milk system, including a fridge. All milk-based drinks are selected via the touchscreen and then created automatically. Settings (milk texture, temperature etc.) can be programmed, and there is an intermediate rinsing function to help keep the piping clean.

Includes an integrated Hot Chocolate module that enables you to add hot chocolate and mochas to your menu.

SCROLL DOWN FOR SPECIFICATIONS, FURTHER INFO AND OPTIONAL EXTRAS

1) Coffee Soul Best Foam with Milk System

Includes

1 x Schaerer Coffee Soul with Best Foam
1 x Schaerer Milk Cooler (10L)
2 x Grinders with 1.2kg Hoppers with an Inlet Chute for
Decaffeinated Ground Coffee
8" Touch Screen Control for up to 40 drinks, 350 Drinks per hour,
Single Phase/30 amps
Height adjustable Outlet from 65 to 185mm
Grounds Container for up to 60-70 coffee cakes
Fully automatic cleaning and rinsing system

Spec / Features

Machine: W:330 X D:600 X H:762mm CS Milk Fridge: W:252 X D:600 X H:632mm Power: 30-amp single phase Water: 15mm Cold Mains Waste: 50mm trapped waste with up stand

Programmable amount of beans, grind and water Up to 40 individually programmable coffee products Automatic rinsing and cleaning for coffee unit Self-cleaning system Height of dispenser adjustable from 65mm to 185mm

Year 2 Service Agreement £1,250 + Vat including:

- Annual Service
- Boiler Pressure Check
- Water Filter Exchange
- All Call Outs, Parts & Labour for 12 months after the annual service

2) Coffee Soul Best Foam with Milk System Plus Chocolate

Includes

1 x Schaerer Coffee Soul with Best Foam
1 x Hot Chocolate Canister 1.2kg
1 x Schaerer Milk Cooler (10L)
2 x Grinders with 1.2kg Hoppers with an Inlet Chute for
Decaffeinated Ground Coffee
8" Touch Screen Control for up to 40 drinks, 350 Drinks per hour,
Single Phase/30 amps
Height adjustable Outlet from 65 to 185mm
Grounds Container for up to 60-70 coffee cakes
Fully automatic cleaning and rinsing system

Spec / Features

Machine: W:330 X D:600 X H:762mm CS Milk Fridge: W:252 X D:600 X H:632mm Power: 30-amp single phase Water: 15mm Cold Mains Waste: 50mm trapped waste with up stand

Programmable amount of beans, grind and water Up to 40 individually programmable coffee products Automatic rinsing and cleaning for coffee unit Self-cleaning system Height of dispenser adjustable from 65mm to 185mm

Year 2 Service Agreement £1,250 + Vat including:

- Annual Service
- Boiler Pressure Check
- Water Filter Exchange
- All Call Outs, Parts & Labour for 12 months after the annual service



SCROLL DOWN FOR FURTHER INFO



Coffee Soul

Makes the hearts of restaurateurs beat faster



schaerer



schaerer coffee sou



Pure temptation

Our love of coffee, our many years of coffee expertise and the skill of a barista are part of every Schaerer coffee machine. Espresso, cappuccino or latte macchiato – inside the coffee machines, all details interact perfectly to prepare beverages that are on par with the hand-made creations of a barista, both in terms of taste and appearance. Barista inside – for coffee and milk foam beverages no one can resist. *•*

PIONEER OF A NEW GENERATION

The Schaerer Coffee Soul unites an athletic yet elegant design with a number of refined technical features. It stands out thanks to its professional, gastronomical look and fits easily into any counter concept with its slim 33 centimetres. One-of-a-kind: You are sure to love Schaerer's own easy-to-use "Uptime!" descaling system.





A virtuoso coffee experience

You can effortlessly demonstrate the whole repertoire of coffee preparation on the Schaerer Coffee Soul and serve your guests the best coffee experience every time. The compact fully automatic coffee machine is based on a newly developed platform and offers advanced Schaerer technology packed in an exceptionally attractive restaurant-style design. The 8"- or 10.4" touch display draws all eyes to it. It whets the appetite for tasty coffee specialities and makes operation incredibly easy – for you and your employees or for self-service. With an output of up to 250 cups a day and the Best Foam™ milk system integrated by default, the Coffee Soul is a top-class coffee machine and is therefore ideal for discerning restaurants, bars or high-quality coffee provision in offices or premium vending services. 💋


Refined technical features

It's the little things that make the Schaerer Coffee Soul the real star on your counter. For example, the digital manometer displays the brewing pressure and underlines the athletic design of the coffee machine. Another special feature of the Coffee Soul: the milk pump is integrated in the coffee machine so you can decide whether to position the cooling unit on the left, on the right or under the Coffee Soul. Alongside the two bean hoppers with 1200 grams of capacity each, there is also room for the powder container on the coffee machine. 💋



CAPTIVATING COFFEE MACHINE TECHNOLOGY

Whether it is the revolutionary milk system, the brilliant touch display or the digital manometer - the equipment of the Schaerer Coffee Soul will make the hearts of restaurateurs beat faster!





Desire for variety

The Coffee Soul can be fitted with the patented Best Foam™ milk system as an option, allowing you to prepare barista-style hot and cold milk foam for top-quality milk-based coffee specialities. It provides maximum variety by allowing you to store 32 beverages, each of which can be configured with additional options all via intuitive operation of the 8"or 10.4" touch display. Would you like to use the Coffee Soul for self-service? The display can be switched to a quick-selection programme for up to twelve beverages. Thanks to the attractive display and large symbols, everyone can prepare their favourite drink easily. 💋

Systematic descaling

The patent-pending Uptime! descaling system developed by Schaerer is a true innovation: it prevents scalerelated malfunctions by prompting you to carry out the necessary descaling in good time. To use the system, simply insert a cartridge and start the descaling process. The coffee machine is ready for use again within a very short amount of time – when the descaling process is started at night, the machine is ready for service first thing in the morning, meaning it won't interrupt service. 💋

Clever cleaning

remove it completely, clean and locking mechanism prevents the




Schaerer Coffee Link

Like all Schaerer coffee machines, the Coffee Soul scores points with automatic cleaning programmes for the coffee and milk system. The mixing bowl is easy to clean as well: reinsert – done. Furthermore, all key processes are visualised with an animated user support display to make operation even easier. The bean hoppers and powder containers attached to the machine can simply be removed for cleaning. A central coffee beans from pouring out. 🖉

With the Schaerer Coffee Link digital solution, Schaerer is launching a new chapter in the digitalization of professional coffee machines. Schaerer Coffee Link gives you a never-before-seen range of evaluation and control options for increasing efficiency and cost effectiveness throughout the entire value chain from the purchase of the machine and adjusting the assortment of beverages to optimising the supply chain and predictive planning of service and maintenance. Extensive additional services, including the Know-how Centre and a Media Pool, complete the powerful range of support services. 💋

BREWED HOT, SERVED COLD

The innovative "Hot & Cold" technology of the Schaerer Coffee Soul opens undreamtof possibilities for the creation of refreshing coffee specialities - with or without ice cubes.



Hot & Cold

Whether iced café crèmes or cold cappuccinos: The optional "Hot & Cold" feature enables automatic preparation of the latest popular cold beverages at the highest level of quality. With the motto "brewed hot, served cold", the freshly-ground coffee is first brewed conventionally at 90 °C. As preparation continues, the beverage cooling system developed by Schaerer cools the coffee down to about 30 to 35 °C. If ice cubes are added to the pre-cooled coffee, they melt slower and the beverage keeps its intense aromatic flavour. For milk-based coffee specialities, the patented Best Foam™ milk system provides cold milk as well as milk foam in up to four different consistencies with the skill of a barista. 💋



COFFEE SOUL – AS INDIVIDUAL AS YOUR REQUIREMENTS

Category

Output per day Output per hour Range of beverages







Full equipment

Schaerer Coffee Soul with two grinders, powder system, Best Foam[™] fresh milk system, side cooling unit, hot water outlet and Powersteam.



Self-service version

Schaerer Coffee Soul with two grinders, powder system, Best Foam[™] fresh milk system and side cooling unit.



Illuminated cup warmer Available as a wide (368 x 585 x 547 mm) or thin (286 x 587 x 542 mm) version.



Under-machine cooling unit for 9.5 litres of milk with level sensor.



Cup & Cool

Combines illuminated cup warmer and milk cooling unit with level sensor. Available as a thin version (286 x 587 x 566 mm) for 4.0 litres and a wide version (368 x 587 x 569 mm) for 9.5 litres of milk. Operation and dispensing

Grinders and containers

Boilers

Milk systems

Powder system

Steam

Other options

Colours

Dimensions coffee machine

Energy supply and power

s Standard o Option

Variants currently available: see configurations.

Water supply and disposal

Equipment and options		Schaerer Coffee Soul	
Recommended daily output	Up to 250		
Beverage output per hour (coffee,	Up to 180		
Espresso	S		
Coffee/café crème	S		
Cappuccino Hot water	0 S		
Ristretto	S		
Small pot (250 ml)	S		
Pot (500 ml) Americano	S O		
White Americano	0		
Milk coffee/latte	0		
Latte macchiato	0		
Espresso macchiato Chociatto	0		
Hot chocolate	0		
Flat white	0		
Instant (e.g. chai latte) Cold milk	0		
Hot milk		0	
Hot milk foam		0	
Cold milk foam Steam	0		
Powder-based beverages		0	
8" TouchIT user interface		S	
Self-service mode		S	
Number of beverages possible (pro		> 100	
Outlet height can be adjusted man Hot water dispensing: central or le		65–185	
Additional water (Americano)	11	S 0	
Single outlet		S	
Double outlet		S	
Steam wand Barista key		0 S	
1 grinder	S		
2 grinders		0	
Bean hopper [g]	± 1200		
Ground coffee inlet	S		
Hot water boiler for coffee Steam boiler	S 0		
Best Foam™			
Side cooling unit on left or right	0		
Powder container [g] [ml]	2000/2750		
Chocolate (1 x Choco powder)	0		
Powersteam	0		
Cup warmer	0		
Brewing accelerator	0		
Grounds container [coffee grounds Under-counter grounds disposal	60–70 o		
High feet (40 mm)	0		
Schaerer Coffee Link	0		
Hot & Cold	0		
Syrup station 10.4" TouchIT user interface	0		
Black	S		
Special colour	0		
Width [mm]	330		
Depth [mm]	600		
Height [mm] (without lock) Weight [kg] (net)	738 Approx. 55		
		10 A, 3 x 1 mm ²	
1L, N, PE: 220–240 V~ 50/60 Hz		, 16 A, 3 x 1.5 mm ²	
2L, PE: 200-220 V 2~ 50/60 Hz		, 30 A, 3 x 4 mm ² , 25 A, 3 x 4 mm ²	
3L, N, PE: 380–415 V 3N~ 0/60 Hz		', 16 A, 5 x 1.5 mm ³	
3L, PE: 200 V 3~ 50/60 Hz		20 A, 4 x 2.5 mm ²	
3L, PE: 220 V 3~ 50/60 Hz	, 25 A, 4 x 2.5 mm ²		
Mains water supply Waste water outlet		s	
Haste water butter		5	





Headquarters

Schaerer Ltd. Allmendweg 8 4528 Zuchwil Switzerland info@schaerer.com

Discover the worldwide Schaerer network and our comprehensive coffee expertise no matter where you are! With subsidiaries and partners in more than 70 countries in Europe, America, Africa, Asia and the Pacific region.

Find a contact near you: www.schaerer.com



Schaerer – a Groupe SEB Company Version 03.2019 – Subject to change.

YOUR ORCHESTRA FOR THE BEST COFFEE EXPERIENCE

8"- or 10,4"touch display

Attractive beverage display and intuitive user guide

Best Foam™

For hot and cold milk foam as if it were made by a barista

Why should you choose the Coffee Soul?

The Coffee Soul in restaurants and coffee bars

- Compact width of just 33 cm ideal for small counters.
- Maximum variety and top beverage quality thanks to Best Foam[™] and the option of storing up to 200 different drink configurations.
- Large coffee bean hopper with capacity of 1200 grams for 150 to 300 coffee beverages.
- Powder system with container for chocolate or milk powder for up to 70 beverages.
- Grounds container for approx. 60-70 grounds cakes.

The Coffee Soul for self-service

- Display: Intuitive user guidance with quick-selection programme for up to twelve beverages.
- Operator can set the beverage strength (barista key).
- One cup position for all beverages. Separate outlets prevent contamination of the beverages.
- Large ergonomic handle on the outlet for comfortable, continuous height adjustment.
- Lockable front panel prevents access by third parties.
- Robust design.
- Compatible with all common payment systems, on request.

The Coffee Soul for offices and premium vending

- Top beverage quality for premium vending using fresh milk.
- Display: Intuitive user guidance with quick-selection programme for up to twelve beverages.
- Can be extended with Schaerer's own digital solution, the Schaerer Coffee Link.
- Easy to clean: Automatic cleaning programme for coffee, milk and powder system.
- Easy supply/filling.

Integrated powder system No additionalmodule required



Ð

Ð

swiss • made

.

Rameter Case and Case

Innovative Uptime! descaling system

Simple descaling without any unscheduled interruptions to service

Flexible milk cooling

Side cooling unit at the right, left, centre or under the counter



Digital manometer Displays the

brewing pressure

MORE EQUIPMENT TO BRING YOU SUCCESS

Standard equipment





8" TouchIT user interface: 4 tabs, each with 8 beverage buttons.

Up to 12 buttons, e.g. for self-service.

8" TouchIT user interface: One grinder with bean hopper for 1200 grams of coffee beans.



Hot water outlet for making tea. Cold and hot water can be dispensed at the same time.



Height-adjustable outlet 65 to 185 mm for single and/or double dispensing.

Extension possibilities






"Hot & Cold" technology for fully-automatic preparation of cold coffee spe- toppings, for example cialities - with or without white and dark chocolate. ice.

Twin Topping container 10,4" TouchIT for stocking two different user interface.



Cleaning the mixing bowl: simply remove and reinsert for exceptionally easy cleaning.



Barista key for setting flavour intensity. grounds cakes.



Integrated grounds con-Digital manometer tainer for approx. 60-70 displays the brewing pressure and underlines the athletic design.



Cup positioning for single and double dispensing.



Lockable cooling unit,

front panel, beams and


powder container.



Second grinder with bean Powersteam for manual hopper for 1200 grams of milk frothing and heating. coffee beans.



Uptime! descaling system Animated user support Simple descaling without any interruption to service.



visualises important processes and simplifies operation.



USB stick easily accessible for convenient data backup and software updates.



Self-kit: hot water dispensing via central, height-adjustable outlet with cup positioning aid.



Under-counter grounds disposal is quick and easy to integrate.







Water can be dispensed at the same time for making tea and other hot beverages.



Best Foam™ milk system for the preparation of barista-quality coffeeand-milk specialities and milk foam.





Powder system with 2000-gram powder container for chocolate or topping powder.



Flavour Point undercounter syrup station for up to four different syrup types.



preparing Americanos.



The Schaerer Coffee Link digital solution provides comprehensive information for quality assurance as well as the monitoring and optimisation of individual business processes.